NP2017.1.E

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 06/30/2019

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

General

Questions about completing this form should be sent to Form556@ferc.gov. Information about the Commission's QF program, answers to frequently asked questions about QF requirements or completing this form, and contact information for QF program staff are available at the Commission's QF website, www.ferc.gov/QF. The Commission's QF website also provides links to the Commission's QF regulations (18 C.F.R. § 131.80 and Part 292), as well as other statutes and orders pertaining to the Commission's QF program.

Who Must File

Any applicant seeking QF status or recertification of QF status for a generating facility with a net power production capacity (as determined in lines 7a through 7g below) greater than 1000 kW must file a self-certification or an application for Commission certification of QF status, which includes a properly completed Form 556. Any applicant seeking QF status for a generating facility with a net power production capacity 1000 kW or less is exempt from the certification requirement, and is therefore not required to complete or file a Form 556. See 18 C.F.R. § 292.203.

How to Complete the Form 556

This form is intended to be completed by responding to the items in the order they are presented, according to the instructions given. If you need to back-track, you may need to clear certain responses before you will be allowed to change other responses made previously in the form. If you experience problems, click on the nearest help button () for assistance, or contact Commission staff at Form556@ferc.gov.

Certain lines in this form will be automatically calculated based on responses to previous lines, with the relevant formulas shown. You must respond to all of the previous lines within a section before the results of an automatically calculated field will be displayed. If you disagree with the results of any automatic calculation on this form, contact Commission staff at Form556@ferc.gov to discuss the discrepancy before filing.

You must complete all lines in this form unless instructed otherwise. Do not alter this form or save this form in a different format. Incomplete or altered forms, or forms saved in formats other than PDF, will be rejected.

How to File a Completed Form 556

Applicants are required to file their Form 556 electronically through the Commission's eFiling website (see instructions on page 2). By filing electronically, you will reduce your filing burden, save paper resources, save postage or courier charges, help keep Commission expenses to a minimum, and receive a much faster confirmation (via an email containing the docket number assigned to your facility) that the Commission has received your filing.

If you are simultaneously filing both a waiver request and a Form 556 as part of an application for Commission certification, see the "Waiver Requests" section on page 3 for more information on how to file.

Paperwork Reduction Act Notice

This form is approved by the Office of Management and Budget. Compliance with the information requirements established by the FERC Form No. 556 is required to obtain or maintain status as a QF. See 18 C.F.R. § 131,80 and Part 292. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB control number. The estimated burden for completing the FERC Form No. 556, including gathering and reporting information, is as follows: 3 hours for self-certification of a small power production facility, 8 hours for self-certifications of a cogeneration facility, 6 hours for an application for Commission certification of a small power production facility, and 50 hours for an application for Commission certification of a cogeneration facility. Send comments regarding this burden estimate or any aspect of this collection of information, including suggestions for reducing this burden, to the following: Information Clearance Officer, Office of the Executive Director (ED-32), Federal Energy Regulatory Commission, 888 First Street N.E., Washington, DC 20426 (DataClearance@ferc.gov); and Desk Officer for FERC, Office of Information and Regulatory Affairs, Office of Management and Budget, Washington, DC 20503 (oira_submission@omb.eop.gov). Include the Control No. 1902-0075 in any correspondence.

FERC Form 556 Page 2 - Instructions

Electronic Filing (eFiling)

To electronically file your Form 556, visit the Commission's QF website at www.ferc.gov/QF and click the eFiling link.

If you are eFiling your first document, you will need to register with your name, email address, mailing address, and phone number. If you are registering on behalf of an employer, then you will also need to provide the employer name, alternate contact name, alternate contact phone number and and alternate contact email.

Once you are registered, log in to eFiling with your registered email address and the password that you created at registration. Follow the instructions. When prompted, select one of the following QF-related filing types, as appropriate, from the Electric or General filing category.

Filing category	Filing Type as listed in eFiling	Description
	(Fee) Application for Commission Cert. as Cogeneration QF	Use to submit an application for Commission certification or Commission recertification of a cogeneration facility as a QF.
	(Fee) Application for Commission Cert. as Small Power QF	Use to submit an application for Commission certification or Commission recertification of a small power production facility as a QF.
	Self-Certification Notice (QF, EG, FC)	Use to submit a notice of self- certification of your facility (cogeneration or small power production) as a QF.
Electric	Self-Recertification of Qualifying Facility (QF)	Use to submit a notice of self- recertification of your facility (cogeneration or small power production) as a QF.
	Supplemental Information or Request	Use to correct or supplement a Form 556 that was submitted with errors or omissions, or for which Commission staff has requested additional information. Do not use this filing type to report new changes to a facility or its ownership; rather, use a self- recertification or Commission recertification to report such changes.
General	(Fee) Petition for Declaratory Order (not under FPA Part 1)	Use to submit a petition for declaratory order granting a waiver of Commission QF regulations pursuant to 18 C.F.R. §§ 292.204(a) (3) and/or 292.205(c). A Form 556 is not required for a petition for declaratory order unless Commission recertification is being requested as part of the petition.

You will be prompted to submit your filing fee, if applicable, during the electronic submission process. Filing fees can be paid via electronic bank account debit or credit card.

During the eFiling process, you will be prompted to select your file(s) for upload from your computer.

FERC Form 556 Page 3 - Instructions

Filing Fee

No filing fee is required if you are submitting a self-certification or self-recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(a).

A filing fee is required if you are filing either of the following:

(1) an application for Commission certification or recertification of your facility as a QF pursuant to 18 C.F.R. § 292.207(b), or (2) a petition for declaratory order granting waiver pursuant to 18 C.F.R. §§ 292.204(a)(3) and/or 292.205(c).

The current fees for applications for Commission certifications and petitions for declaratory order can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Fee Schedule link.

You will be prompted to submit your filing fee, if applicable, during the electronic filing process described on page 2.

Required Notice to Utilities and State Regulatory Authorities

Pursuant to 18 C.F.R. § 292.207(a)(ii), you must provide a copy of your self-certification or request for Commission certification to the utilities with which the facility will interconnect and/or transact, as well as to the State regulatory authorities of the states in which your facility and those utilities reside. Links to information about the regulatory authorities in various states can be found by visiting the Commission's QF website at www.ferc.gov/QF and clicking the Notice Requirements link.

What to Expect From the Commission After You File

An applicant filing a Form 556 electronically will receive an email message acknowledging receipt of the filing and showing the docket number assigned to the filing. Such email is typically sent within one business day, but may be delayed pending confirmation by the Secretary of the Commission of the contents of the filing.

An applicant submitting a self-certification of QF status should expect to receive no documents from the Commission, other than the electronic acknowledgement of receipt described above. Consistent with its name, a self-certification is a certification by the applicant itself that the facility meets the relevant requirements for QF status, and does not involve a determination by the Commission as to the status of the facility. An acknowledgement of receipt of a self-certification, in particular, does not represent a determination by the Commission with regard to the QF status of the facility. An applicant self-certifying may, however, receive a rejection, revocation or deficiency letter if its application is found, during periodic compliance reviews, not to comply with the relevant requirements.

An applicant submitting a request for Commission certification will receive an order either granting or denying certification of QF status, or a letter requesting additional information or rejecting the application. Pursuant to 18 C.F.R. § 292.207(b)(3), the Commission must act on an application for Commission certification within 90 days of the later of the filing date of the application or the filing date of a supplement, amendment or other change to the application.

Waiver Requests

18 C.F.R. § 292.204(a)(3) allows an applicant to request a waiver to modify the method of calculation pursuant to 18 C.F.R. § 292.204(a)(2) to determine if two facilities are considered to be located at the same site, for good cause. 18 C.F.R. § 292.205(c) allows an applicant to request waiver of the requirements of 18 C.F.R. §§ 292.205(a) and (b) for operating and efficiency upon a showing that the facility will produce significant energy savings. A request for waiver of these requirements must be submitted as a petition for declaratory order, with the appropriate filing fee for a petition for declaratory order. Applicants requesting Commission recertification as part of a request for waiver of one of these requirements should electronically submit their completed Form 556 along with their petition for declaratory order, rather than filing their Form 556 as a separate request for Commission recertification. Only the filing fee for the petition for declaratory order must be paid to cover both the waiver request and the request for recertification if such requests are made simultaneously.

18 C.F.R. § 292.203(d)(2) allows an applicant to request a waiver of the Form 556 filing requirements, for good cause. Applicants filing a petition for declaratory order requesting a waiver under 18 C.F.R. § 292.203(d)(2) do not need to complete or submit a Form 556 with their petition.

FERC Form 556 Page 4 - Instructions

Geographic Coordinates

If a street address does not exist for your facility, then line 3c of the Form 556 requires you to report your facility's geographic coordinates (latitude and longitude). Geographic coordinates may be obtained from several different sources. You can find links to online services that show latitude and longitude coordinates on online maps by visiting the Commission's QF webpage at www.ferc.gov/QF and clicking the Geographic Coordinates link. You may also be able to obtain your geographic coordinates from a GPS device, Google Earth (available free at http://earth.google.com), a property survey, various engineering or construction drawings, a property deed, or a municipal or county map showing property lines.

Filing Privileged Data or Critical Energy Infrastructure Information in a Form 556

The Commission's regulations provide procedures for applicants to either (1) request that any information submitted with a Form 556 be given privileged treatment because the information is exempt from the mandatory public disclosure requirements of the Freedom of Information Act, 5 U.S.C. § 552, and should be withheld from public disclosure; or (2) identify any documents containing critical energy infrastructure information (CEII) as defined in 18 C.F.R. § 388.113 that should not be made public.

If you are seeking privileged treatment or CEII status for any data in your Form 556, then you must follow the procedures in 18 C.F.R. § 388.112. See www.ferc.gov/help/filing-guide/file-ceii.asp for more information.

Among other things (see 18 C.F.R. § 388.112 for other requirements), applicants seeking privileged treatment or CEII status for data submitted in a Form 556 must prepare and file both (1) a complete version of the Form 556 (containing the privileged and/or CEII data, and (2) a public version of the Form 556 (with the privileged and/or CEII data redacted). Applicants preparing and filing these different versions of their Form 556 must indicate below the security designation of this version of their document. If you are not seeking privileged treatment or CEII status for any of your Form 556 data, then you should not respond to any of the items on this page.

Non-Public: Applicant is seeking privileged treatment and/or CEII status for data contained in the Form 556 lines indicated below. This non-public version of the applicant's Form 556 contains all data, including the data that is redacted in the (separate) public version of the applicant's Form 556.
Public (redacted): Applicant is seeking privileged treatment and/or CEll status for data contained in the Form 556 lines indicated below. This public version of the applicants's Form 556 contains all data except for data from the lines indicated below, which has been redacted.
Privileged : Indicate below which lines of your form contain data for which you are seeking privileged treatment
Critical Energy Infrastructure Information (CEII): Indicate below which lines of your form contain data for which you are seeking CEII status

The eFiling process described on page 2 will allow you to identify which versions of the electronic documents you submit are public, privileged and/or CEII. The filenames for such documents should begin with "Rublic", "Priv", or "CEII", as applicable, to clearly indicate the security designation of the file. Both versions of the Form 556 should be unaltered PDF copies of the Form 556, as available for download from www.ferc.gov/QF. To redact data from the public copy of the submittal, simply omit the relevant data from the Form. For numerical fields, leave the redacted fields blank. For text fields, complete as much of the field as possible, and replace the redacted portions of the field with the word "REDACTED" in brackets. Be sure to identify above all fields which contain data for which you are seeking non-public status.

The Commission is not responsible for detecting or correcting filer errors, including those errors related to security designation. If your documents contain sensitive information, make sure they are filed using the proper security designation.

FEDERAL ENERGY REGULATORY COMMISSION WASHINGTON, DC

OMB Control # 1902-0075 Expiration 06/30/2019

Form 556 Certification of Qualifying Facility (QF) Status for a Small Power Production or Cogeneration Facility

1b Applicant street add 16105 West 113th	ress n Street, Suite 105		
1c City		1d State/provi	ince
Lenexa		KS	
1e Postal code 66219	1f Country (if not United States)	<u> </u>	1g Telephone number 9138889463
1h Has the instant facilit	y ever previously been certified as a C	F? Yes 🔲 N	No 🗵
1i If yes, provide the do	ket number of the last known QF filin	g pertaining to th	nis facility: QF
1j Under which certifica	tion process is the applicant making ti	is filing?	
Notice of self-certif	,	_	ommission certification (requires filing e" section on page 3)
QF status. A notice of	of self-certification does not establish a ation to verify compliance. See the "V	proceeding, and	
1k What type(s) of QF st	atus is the applicant seeking for its fac	ility? (check all th	nat apply)
Qualifying small po	wer production facility status	ualifying cogene	eration facility status
11 What is the purpose a	nd expected effective date(s) of this fi	ing?	
Original certificatio	n; facility expected to be installed by	5/1/19 ar	nd to begin operation on 4/30/20
	iously certified facility to be effective		
(îdentify type(s) of	change(s) below, and describe chang	e(s) in the Miscell	laneous section starting on page 19)
	nd/or other administrative change(s)		
☐ Change in own	·		
Change(s) affec	ting plant equipment, fuel use, power	production capa	city and/or cogeneration thermal out
	ection to a previous filing submitted o		
(describe the supple	ement or correction in the Miscellaneo	us section startir	ng on page 19)
to the extent possible	e, explaining any special circumstance	s in the Miscellar	
☐ previously grante	y complies with the Commission's QF d by the Commission in an order date rellaneous section starting on page 19	d	virtue of a waiver of certain regulatio (specify any other relevant waiver
	y would comply with the Commission this application is granted	s QF requiremen	ts if a petition for waiver submitted
The instant facility — employment of u	y complies with the Commission's reg nique or innovative technologies not	ontemplated by	special circumstances, such as the the the structure of this form, that make escribe in Misc. section starting on p. 1

FERC	Form	556

Page 6 - All Facilities

	2a Name of contact person Rob Freeman			2b Telephone number 9133227415	
	2c Which of the following describes	the contact person's relati	onehin to the an		1
		•		zed to represent the applicant	
۳		•	• •	ent the applicant on this matter	
ı <u>t</u> i					
l ₽	Lawyer, consultant, or other re		· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	-
ੁੱਹ	2d Company or organization name (·	al, check here and	d skip to line 2e)	
Contact Information	TWE Bowman Solar Project,				-
<u>ي</u> ر	2e Street address (if same as Application	int, check here and skip to	line 3a)[∑		
nt:					
၂၀			 		-
	2f City		2g State/provi	ince	
		·			
	2h Postal code	2i Country (if not United	States)		
	3a Facility name				
<u>.</u>	TWE Bowman Solar Project				
:at	3b Street address (if a street address	does not exist for the faci	lity, check here a	nd skip to line 3c) 🔀	0
Ŏ					
ਕੂ					
Identification and Location	then you must specify the latitud the following formula to convert degrees + (minutes/60) + (second	le and longitude coordina to decimal degrees from o ds/3600). See the "Geogi	tes of the facility degrees, minutes aphic Coordinate	our facility by checking the box in line 3b, in degrees (to three decimal places). Use and seconds: decimal degrees = es" section on page 4 for help. If you graphic coordinates below is optional.	
entif	Longitude ☐ East (+) 80	.682 degrees	Latitude	North (+) 33.313 degrees 33.313 degrees	
	3d City (if unincorporated, check her	re and enter nearest city)	3e State/pi		1
<u>€</u>	Bowman	, , , , , , , , , , , , , , , , , , ,	South Ca		
Facility	3f County (or check here for indeper	ndent city) 3	Country (if not	United States)	
ســـــــــــــــــــــــــــــــــــــ	Orangeburg County	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	, , , , , , , , , , , , , , , , , , , ,		C
	Identify the electric utilities that are c	ontemplated to transact v	vith the facility.	<u> </u>	1
Si	4a Identify utility interconnecting w	ith the facility	<u> </u>	· · · · · · · · · · · · · · · · · · ·	1
Ţ;	South Carolina Electric	•			
≒	4b Identify utilities providing wheeli		none 🕅		6
اق	l second, wanted providing inter-	or grant and an arrangement of			U
i ; i	4c identify utilities purchasing the u	seful electric power outpu	t or check here if	none 🗍	0
sac	South Carolina Electric		, or wrome Hubble II	···-·-	
Transacting Utilities	<u> </u>		ower, maintenar	nce power, and/or interruptible power	0
' -	South Carolina Electric	& Gas Company			_
	•				

FERC Form 556	Page 7 - All	Facilitie
5a Direct ownership as of effective date or operation date: Identify all dir percent equity interest. For each identified owner, also (1) indicate who defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), on 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16 utilities or holding companies, provide the percentage of equity interest direct owners hold at least 10 percent equity interest in the facility, the two direct owners with the largest equity interest in the facility.	nether that owner is an electric utility, a r a holding company, as defined in sec 6451(8)), and (2) for owners which are est in the facility held by that owner. If	as tion electric no
Full legal names of direct owners	holding %	If Yes, equity nterest
1) Tradewind Energy, Inc.	Yes No 🛛	ş
2)	Yes No 🗌	9
3)	Yes No 🗔	-
4)	Yes No	9
5)	Yes No .	ą
6)	Yes No	٩
7)	Yes No	9
8)	Yes 🗍 No 🗍	9
9).	Yes No	<u> </u>
10)	Yes 🗍 No 🗍	
Check here and continue in the Miscellaneous section starting on	page 19 if additional space is needed	
5b Upstream (i.e., indirect) ownership as of effective date or operation da of the facility that both (1) hold at least 10 percent equity interest in the defined in section 3(22) of the Federal Power Act (16 U.S.C. 796(22)), or 1262(8) of the Public Utility Holding Company Act of 2005 (42 U.S.C. 16 equity interest in the facility held by such owners. (Note that, because another, total percent equity interest reported may exceed 100 percent	e facility, and (2) are electric utilities, a r holding companies, as defined in sect 6451(8)). Also provide the percentage upstream owners may be subsidiaries	s tion of
Check here if no such upstream owners exist.		
Full legal names of electric utility or holding company	% upstream owners in	equity iterest
1) Enel Kansas, LLC		19.98
2) Enel Green Power North America, Inc.		19.9
3)	· · · · · · · · · · · · · · · · · · ·	
4)		 9
5)		

🔀 Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed

8) 9) 10)

5c Identify the facility operator

TWE Bowman Solar Project, LLC



F	ĒŖČ Form 556		Page 8 - All Facilitie
	6a Describe the primary energy input: (check o	one main category and, if applicable, o	one.subcategory)
	☐ Biomass (specify)	Renewable resources (specify)	☐ Geothermal
	☐ Landfill gas	☐ Hydro power - river	Fossil fuel (specify)
	☐ Manure digester gas	☐ Hydro,power - tidal	☐ 'Coal-(ñot wastê)
	☐ Municipal solid waste	☐ Hydro power - wave	☐ Fuel oil/diesel
	☐ Sewage digester gas	Solar - photovoltaic Solar - photovol	Natural gas (not waste)
	☐ Wood	☐ Solar - thermal	Other fossil fuel
	Other biomass (describe on page	19) 🔲 Wind	(describe on page 19)
	Waste (specify type below in line 6b)	Other renewable resource (describe on page 19)	Other (describe on page 19)
	6b If you specified "waste" as the primary energy	gy input in line 6a, indicate the type o	f waste fuel used: (check one)
	Waste fuel listed in 18 C.F.R. § 292.202	(b) (specify one of the following)	
	☐ Anthracite culm produced prior	to July 23, 1985	
	Anthracité refuse that has an average ash content of 45 percent or mo	erage heat content of 6,000 Btu or les re	s per pound and has an average
	Bituminous coal refuse that has average ash content of 25 perce	an average heat content of 9,500 Btu nt or more	per pound or less and has an
nput	determined to be waste by the to (BLM) or that is located on non-f	oal produced on Federal lands or on I Jnited States Department of the Inter Federal or non-Indian lands outside of ter coal is an extension of that determ	ior's Bureau of Land Management fBLM's jurisdiction, provided that
Energy Input	☐ BLM or that is located on non- Fe	l lands or on Indian lands that has bee ederal or non-Indian lands outside of s an extension of that determined by I	BLM's jurisdiction, provided that
법과	Lignite produced in association as a result of such a mining oper	with the production of montan wax a ration	nd lignite that becomes exposed
	☐ Gaseous fuels (except natural ga	s and synthetic gas from coal) (descri	be on page 19)
		l wells (describe on page 19 how the pas; include with your filing any mater 0)	
	☐ Materials that a government age	ency has certified for disposal by com	bustion (describe on page 19)
	☐ Heat from exothermic reactions	(describe on page 19)	Residual heat (describe on page 19)
	☐ Used rubber tires ☐ Plas	stic materials 🔲 Refinery of	f-gas 🔲 Petroleum coke
	Other waste energy input that has little facility industry (describe in the Miscel lack of commercial value and existence	laneous section starting on page 19; i	include a discussion of the fuel's
	6c Provide the average energy input, calculated energy inputs, and provide the related perconstruction (292.202(j)). For any oil or natural gas fuel, upon the control of t	entage of the total average annual er	nergy input to the facility (18 C.F.R. §

Annual average energy Percentage of total input for specified fuel annual energy input

Natural gas 0 Btu/h 0 %

Oil-based fuels 0 Btu/h 0 %

Coal 0 Btu/h 0 %

Indicate the maximum gross and maximum net electric power production capacity of the facility at the point(s) of delivery by completing the worksheet below. Respond to all items. If any of the parasitic loads and/or losses identified in lines 7b through 7e are negligible, enter zero for those lines.

7a The maximum gross power production capacity at the terminals of the individual generator(s) under the most favorable anticipated design conditions	74,970 k	w
7b Parasitic station power used at the facility to run equipment which is necessary and integral to the power production process (boiler feed pumps, fans/blowers, office or maintenance buildings directly related to the operation of the power generating facility, etc.). If this facility includes non-power production processes (for instance, power consumed by a cogeneration facility's thermal host), do not include any power consumed by the non-power production activities in your reported parasitic station power.		
Teported parasitic station power.	166 k	W
7c Electrical losses in interconnection transformers		
	794 k	W
7d Electrical losses in AC/DC conversion equipment, if any		
<u> </u>	o k	W
7e Other interconnection losses in power lines or facilities (other than transformers and AC/DC conversion equipment) between the terminals of the generator(s) and the point of interconnection		
with the utility	305 k	W
7f Total deductions from gross power production capacity = $7b + 7c + 7d + 7e$		
	1,265.0 k	W
7g Maximum net power production capacity = 7a - 7f		
	73,705.0 k	W

7h Description of facility and primary components: Describe the facility and its operation. Identify all boilers, heat recovery steam generators, prime movers (any mechanical equipment driving an electric generator), electrical generators, photovoltalc solar equipment, fuel cell equipment and/or other primary power generation equipment used in the facility. Descriptions of components should include (as applicable) specifications of the nominal capacities for mechanical output, electrical output, or steam generation of the identified equipment. For each piece of equipment identified, clearly indicate how many pieces of that type of equipment are included in the plant, and which components are normally operating or normally in standby mode. Provide a description of how the components operate as a system. Applicants for cogeneration facilities do not need to describe operations of systems that are clearly depicted on and easily understandable from a cogeneration facility's attached mass and heat balance diagram; however, such applicants should provide any necessary description needed to understand the sequential operation of the facility depicted in their mass and heat balance diagram. If additional space is needed, continue in the Miscellaneous section starting on page 19.

Technical Facility Information

The facility is a nominal 74.97MW solar photo-voltaic generation facility connected to 115kV transmission through a single 88MVA transformer. The design basis net power flow at the POI is approximately 73.7MW. The Facility also includes a 3.6MVar capacitor bank connected at the 34.5kV bus to allow design basis operation at 0.95 power factor at the POI. A total of 45 TMEIC 1666kW (nominal) inverters connected through individual pad-mounted 1850kVA step-up transformers are included in the project scope of supply. The inverter collector system is comprised of underground 34.5 kV cables that bring in five groups of 9 inverters to the collector substation via three independent feeders. Sufficient DC modules are connected to PV inverters to allow design basis performance (typically in the range of 1.2 to 1.4 inverter loading ratios).



Information Required for Small Power Production Facility

must respond to the items on this page. Otherwise, skip page 10.

through 8e below (as applicable).

at least a 5 percent equity interest.

Check here if no such facilities exist. Facility location

(city or county, state)

Yes (continue at line 8c below)

before December 31, 1994? Yes No

toward completion of the facility.

Page 10 - Small Power Production If you indicated in line 1k that you are seeking qualifying small power production facility status for your facility, then you Pursuant to 18 C.F.R. § 292.204(a), the power production capacity of any small power production facility, together with the power production capacity of any other small power production facilities that use the same energy resource, are owned by the same person(s) or its affiliates, and are located at the same site, may not exceed 80 megawatts. To demonstrate compliance with this size limitation, or to demonstrate that your facility is exempt from this size limitation under the Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Pub. L. 101-575, 104 Stat. 2834 (1990) as amended by Pub. L. 102-46, 105 Stat. 249 (1991)), respond to lines 8a 8a Identify any facilities with electrical generating equipment located within 1 mile of the electrical generating equipment of the instant facility, and for which any of the entities identified in lines 5a or 5b, or their affiliates, holds Maximum net power Common owner(s) production capacity kW kW kW Check here and continue in the Miscellaneous section starting on page 19 if additional space is needed 8b The Solar, Wind, Waste, and Geothermal Power Production Incentives Act of 1990 (Incentives Act) provides exemption from the size limitations in 18 C.F.R. § 292.204(a) for certain facilities that were certified prior to 1995. Are you seeking exemption from the size limitations in 18 C.F.R. § 292.204(a) by virtue of the Incentives Act? No (skip lines 8c through 8e) 8c Was the original notice of self-certification or application for Commission certification of the facility filed on or 8d Did construction of the facility commence on or before December 31, 1999? Yes 8e If you answered No in line 8d, indicate whether reasonable diligence was exercised toward the completion of the facility, taking into account all factors relevant to construction? Yes \to No \to If you answered Yes, provide a brief narrative explanation in the Miscellaneous section starting on page 19 of the construction timeline (in particular, describe why construction started so long after the facility was certified) and the diligence exercised

with Fuel Use Requirements **Gertification of Compliance**

Pursuant to 18 C.F.R. § 292.204(b), qualifying small power production facilities may use fossil fuels, in minimal amounts, for only the following purposes: ignition; start-up; testing; flame stabilization; control use; alleviation or prevention of unanticipated equipment outages; and alleviation or prevention of emergencies, directly affecting the public health, safety, or welfare, which would result from electric power outages. The amount of fossil fuels used for these purposes may not exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.

9a Certification of compliance with 18 C.F.R. § 292.204(b) with respect to uses of fossil fuel:

Root docket #

(if any)

QF

QF

- Applicant certifies that the facility will use fossil fuels exclusively for the purposes listed above.
- 9b Certification of compliance with 18 C.F.R. § 292.204(b) with respect to amount of fossil fuel used annually:
 - Applicant certifies that the amount of fossil fuel used at the facility will not, in aggregate, exceed 25 percent of the total energy input of the facility during the 12-month period beginning with the date the facility first produces electric energy or any calendar year thereafter.

Certification of Compliance with Size Limitations

1)

2)



ACCEPTED FOR PROCESSING - 2018 March 15 1:02 PM - SCPSC - ND-2017-1-E - Page 11 of 19

Information Required for Cogeneration Facility

If you indicated in line 1k that you are seeking qualifying cogeneration facility status for your facility, then you must respond to the items on pages 11 through 13. Otherwise, skip pages 11 through 13.

	energy (such as heat or suse of energy. Pursuant cycle cogeneration facilithermal application or p	92.202(c), a cogeneration facility produces electric energy and forms of useful thermal steam) used for industrial, commercial, heating, or cooling purposes, through the sequential to 18 C.F.R. § 292.202(s), "sequential use" of energy means the following: (1) for a toppingty, the use of reject heat from a power production process in sufficient amounts in a rocess to conform to the requirements of the operating standard contained in 18 C.F.R. § ottoming-cycle cogeneration facility, the use of at least some reject heat from a thermal
	application or process fo	
	l	reneration technology does the facility represent? (check all that apply)
	Topping-cycle	e cogeneration Bottoming-cycle cogeneration
	other requirements balance diagram de meet certain requir	te the sequential operation of the cogeneration process, and to support compliance with a such as the operating and efficiency standards, include with your filing a mass and heat epicting average annual operating conditions. This diagram must include certain items and rements, as described below. You must check next to the description of each requirement at you have complied with these requirements.
	Check to certify compliance with	Danwitson and
	indicated requirement	Requirement
ration 1		Diagram must show orientation within system piping and/or ducts of all prime movers, heat recovery steam generators, boilers, electric generators, and condensers (as applicable), as well as any other primary equipment relevant to the cogeneration process.
gene natioi		Any average annual values required to be reported in lines 10b, 12a, 13a, 13b, 13d, 13f, 14a, 15b, 15d and/or 15f must be computed over the anticipated hours of operation.
General Cogeneration Information		Diagram must specify all fuel inputs by fuel type and average annual rate in Btu/h. Fuel for supplementary firing should be specified separately and clearly labeled. All specifications of fuel inputs should use lower heating values.
ien(Diagram must specify average gross electric output in kW or MW for each generator.
Ь		Diagram must specify average mechanical output (that is, any mechanical energy taken off of the shaft of the prime movers for purposes not directly related to electric power generation) in horsepower, if any. Typically, a cogeneration facility has no mechanical output.
		At each point for which working fluid flow conditions are required to be specified (see below), such flow condition data must include mass flow rate (in lb/h or kg/s), temperature (in °F, R, °C or K), absolute pressure (in psia or kPa) and enthalpy (in Btu/lb or kJ/kg). Exception: For systems where the working fluid is <i>liquid only</i> (no vapor at any point in the cycle) and where the type of liquid and specific heat of that liquid are clearly indicated on the diagram or in the Miscellaneous section starting on page 19, only mass flow rate and temperature (not pressure and enthalpy) need be specified. For reference, specific heat at standard conditions for pure liquid water is approximately 1.002 Btu/(lb*R) or 4.195 kJ/(kg*K).
		Diagram must specify working fluid flow conditions at input to and output from each steam turbine or other expansion turbine or back-pressure turbine.
		Diagram must specify working fluid flow conditions at delivery to and return from each thermal application.
		Diagram must specify working fluid flow conditions at make-up water inputs.

	EPAct 2005 cogeneration facilities: The Energy Policy Act of 2005 (EPAct 2005) established a new section 210(n) of the Public Utility Regulatory Policies Act of 1978 (PURPA), 16 USC 824a-3(n), with additional requirements for any qualifying cogeneration facility that (1) is seeking to sell electric energy pursuant to section 210 of PURPA and (2) was either not a cogeneration facility on August 8, 2005, or had not filed a self-certification or application for Commission certification of QF status on or before February 1, 2006. These requirements were implemented by the Commission in 18 C.F.R. § 292.205(d). Complete the lines below, carefully following the instructions, to demonstrate whether these additional requirements apply to your cogeneration facility and, if so, whether your facility complies with such requirements.	
	11a Was your facility operating as a qualifying cogeneration facility on or before August 8, 2005? Yes No	1
	11b Was the initial filing seeking certification of your facility (whether a notice of self-certification or an application for Commission certification) filed on or before February 1, 2006? Yes No	•
a v	If the answer to either line 11a or 11b is Yes, then continue at line 11c below. Otherwise, if the answers to both lines 11a and 11b are No, skip to line 11e below.	
ntal Us acilitie	11c With respect to the design and operation of the facility, have any changes been implemented on or after February 2, 2006 that affect general plant operation, affect use of thermal output, and/or increase net power production capacity from the plant's capacity on February 1, 2006?	*
ne n E	Yes (continue at line 11d below)	
ct 2005 Requirements for Fundamental Use Energy Output from Cogeneration Facilities	No. Your facility is not subject to the requirements of 18 C.F.R. § 292.205(d) at this time. However, it may be subject to to these requirements in the future if changes are made to the facility. At such time, the applicant would need to recertify the facility to determine eligibility. Skip lines 11d through 11j.	
s for oger	11d Does the applicant contend that the changes identified in line 11c are not so significant as to make the facility a "new" cogeneration facility that would be subject to the 18 C.F.R. § 292.205(d) cogeneration requirements?	1
ament: from C	Yes. Provide in the Miscellaneous section starting on page 19 a description of any relevant changes made to the facility (including the purpose of the changes) and a discussion of why the facility should not be considered a "new" cogeneration facility in light of these changes. Skip lines 11e through 11j.	
Require utput:	No. Applicant stipulates to the fact that it is a "new" cogeneration facility (for purposes of determining the applicability of the requirements of 18 C.F.R. § 292.205(d)) by virtue of modifications to the facility that were initiated on or after February 2, 2006. Continue below at line 11e.	
05.1 y O	11e Will electric energy from the facility be sold pursuant to section 210 of PURPA?	1
ct 2005 inergy C	Yes. The facility is an EPAct 2005 cogeneration facility. You must demonstrate compliance with 18 C.F.R. § 292.205(d)(2) by continuing at line 11f below.	
EPAc of E	No. Applicant certifies that energy will <i>not</i> be sold pursuant to section 210 of PURPA. Applicant also certifies its understanding that it must recertify its facility in order to determine compliance with the requirements of 18 C.F.R. § 292.205(d) <i>before</i> selling energy pursuant to section 210 of PURPA in the future. Skip lines 11f through 11j.	
	11f Is the net power production capacity of your cogeneration facility, as indicated in line 7g above, less than or equal to 5,000 kW?	1
	Yes, the net power production capacity is less than or equal to 5,000 kW. 18 C.F.R. § 292.205(d)(4) provides a rebuttable presumption that cogeneration facilities of 5,000 kW and smaller capacity comply with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2). Applicant certifies its understanding that, should the power production capacity of the facility increase above 5,000 kW, then the facility must be recertified to (among other things) demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Skip lines 11g through 11j.	
	No, the net power production capacity is greater than 5,000 kW. Demonstrate compliance with the requirements for fundamental use of the facility's energy output in 18 C.F.R. § 292.205(d)(2) by continuing on the next page at line 11q.	

of Energy Output from Cogeneration Facilities (continued)

EPAct 2005 Requirements for Fundamental Use

Lines 11g through 11k below guide the applicant through the process of demonstrating compliance with the requirements for "fundamental use" of the facility's energy output. 18 C.F.R. § 292.205(d)(2). Only respond to the lines on this page if the instructions on the previous page direct you to do so. Otherwise, skip this page.

18 C.F.R. § 292.205(d)(2) requires that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility. If you were directed on the previous page to respond to the items on this page, then your facility is an EPAct 2005 cogeneration facility that is subject to this "fundamental use" requirement.

The Commission's regulations provide a two-pronged approach to demonstrating compliance with the requirements for fundamental use of the facility's energy output. First, the Commission has established in 18 C.F.R. § 292.205(d)(3) a "fundamental use test" that can be used to demonstrate compliance with 18 C.F.R. § 292.205(d)(2). Under the fundamental use test, a facility is considered to comply with 18 C.F.R. § 292,205(d)(2) if at least 50 percent of the facility's total annual energy output (including electrical, thermal, chemical and mechanical energy output) is used for industrial, commercial, residential or institutional purposes.

Second, an applicant for a facility that does not pass the fundamental use test may provide a narrative explanation of and support for its contention that the facility nonetheless meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial. commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic, and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a qualifying facility to its host facility.

Complete lines 11g through 11j below to determine compliance with the fundamental use test in 18 C.F.R. § 292,205(d)(3). Complete lines 11a through 11i even if you do not intend to rely upon the fundamental use test to demonstrate compliance with 18 C.F.R. § 292.205(d)(2).

11g Amount of electrical, thermal, chemical and mechanical energy output (net of internal generation plant losses and parasitic loads) expected to be used annually for industrial, commercial, residential or institutional purposes and not sold to an electric utility	- MWh
11h Total amount of electrical, thermal, chemical and mechanical energy expected to be sold to an electric utility	MWh
11i Percentage of total annual energy output expected to be used for industrial, commercial, residential or institutional purposes and not sold to a utility = 100 * 11g /(11g + 11h)	0 %
	

11i Is the response in line 11i greater than or equal to 50 percent?

Yes. Your facility complies with 18 C.F.R. § 292.205(d)(2) by virtue of passing the fundamental use test provided in 18 C.F.R. § 292.205(d)(3). Applicant certifies its understanding that, if it is to rely upon passing the fundamental use test as a basis for complying with 18 C.F.R. § 292.205(d)(2), then the facility must comply with the fundamental use test both in the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years.

No. Your facility does not pass the fundamental use test. Instead, you must provide in the Miscellaneous section starting on page 19 a narrative explanation of and support for why your facility meets the requirement that the electrical, thermal, chemical and mechanical output of an EPAct 2005 cogeneration facility is used fundamentally for industrial, commercial, residential or institutional purposes and is not intended fundamentally for sale to an electric utility, taking into account technological, efficiency, economic. and variable thermal energy requirements, as well as state laws applicable to sales of electric energy from a QF to its host facility. Applicants providing a narrative explanation of why their facility should be found to comply with 18 C.F.R. § 292.205(d)(2) in spite of non-compliance with the fundamental use test may want to review paragraphs 47 through 61 of Order No. 671 (accessible from the Commission's QF website at www.ferc.gov/QF), which provide discussion of the facts and circumstances that may support their explanation. Applicant should also note that the percentage reported above will establish the standard that that facility must comply with, both for the 12-month period beginning with the date the facility first produces electric energy, and in all subsequent calendar years. See Order No. 671 at paragraph 51. As such, the applicant should make sure that it reports appropriate values on lines 11g and 11h above to serve as the

relevant annual standard, taking into account expected variations in production conditions.



Information Required for Topping-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents topping-cycle cogeneration technology, then you must respond to

separate rows.		Average annual rate of
Name of entity (thermal host) taking thermal output	Thermal host's relationship to facility; Thermal host's use of thermal output	thermal output attributable to use (net of heat contained in process return or make-up water)
1)	Select thermal host's relationship to facility	
	Select thermal host's use of thermal output	Btu/h
2)	Select thermal host's relationship to facility	
	Select thermal host's use of thermal output	Btu/h
2)	Select therma <u>l host's rela</u> tionship to facility	
3)	Select thermal host's use of thermal output	Btu/h
	Select thermal host's relationship to facility	
4)	Select thermal host's use of thermal output	Btu/h
	Select thermal host's relationship to facility	
5)	Select thermal host's use of thermal output	Btu/h
	Select thermal host's relationship to facility	
o)	Select thermal host's use of thermal output	Btu/h
	he Miscellaneous section starting on page 19 if a	
thermal output identified above. In so However, if your facility's use of therm not reasonably clear, then you must p application may be rejected and/or ac is made. (Exception: If you have previous output related to the instant facility, the date and docket number to the order	thermal output: At a minimum, provide a brief dome cases, this brief description is sufficient to de the cases, this brief description is sufficient to de the case of the usefulness of the usefulness of the usefulness of the usefulness of the case of the usefulness of the usefulness of the usefulness of the usefulness of the useful description of the useful description of the useful description of the useful deviation from the previously authorized use. If a starting on page 19.	emonstrate usefulness. is of such thermal output is strate usefulness. Your ficient showing of usefulness ving a specific use of thermal that use and a reference by such exemption may not be

Topping-Cycle Operating and Efficiency Value Calculation

equal to 42.5%:

Yes (complies with efficiency standard)

orm 556 Page 15 - Topping	-Cycle Cogeneration Facilities			
Applicants for facilities representing topping-cycle technology must demonstrate come cycle operating standard and, if applicable, efficiency standard. Section 292.205(a)(1) regulations (18 C.F.R. § 292.205(a)(1)) establishes the operating standard for topping-cycle useful thermal energy output must be no less than 5 percent of the total energy of (18 C.F.R. § 292.205(a)(2)) establishes the efficiency standard for topping-cycle cogene installation commenced on or after March 13, 1'980: the useful power output of the fathermal energy output must (A) be no less than 42.5 percent of the total energy input facility; and (B) if the useful thermal energy output is less than 15 percent of the total energy input of natural gas and oil to the facility compliance with the topping-cycle operating and/or efficiency standards, or to demonstrate the deficiency standard based on the date that installation commenced, and 131 below.	of the Commission's cycle cogeneration facilities: utput. Section 292.205(a)(2) ration facilities for which cility plus one-half the useful of natural gas and oil to the energy output of the facility, y. To demonstrate instrate that your facility is			
If you indicated in line 10a that your facility represents both topping-cycle and bottom technology, then respond to lines 13a through 13I below considering only the energy attributable to the topping-cycle portion of your facility. Your mass and heat balance which mass and energy flow values and system components are for which portion (to cogeneration system.	inputs and outputs diagram must make clear pping or bottoming) of the			
13a Indicate the annual average rate of useful thermal energy output made available to the host(s), net of any heat contained in condensate return or make-up water	_			
13b Indicate the annual average rate of net electrical energy output	Btu/h			
13c Multiply line 13b by 3,412 to convert from kW to Btu/h	o Btu/h			
13d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp			
13e Multiply line 13d by 2,544 to convert from hp to Btu/h	o Btu/h			
13f Indicate the annual average rate of energy input from natural gas and oil	Btu/h			
13g Topping-cycle operating value = 100 * 13a / (13a + 13c + 13e)	0 %			
13h Topping-cycle efficiency value = 100 * (0.5*13a + 13c + 13e) / 13f	0 %			
13i Compliance with operating standard: Is the operating value shown in line 13g great	eater than or equal to 5%?			
Yes (complies with operating standard) No (does not comply wi	ith operating standard)			
13j Did installation of the facility in its current form commence on or after March 13, 1	980?			
Yes. Your facility is subject to the efficiency requirements of 18 C.F.R. § 292.202 compliance with the efficiency requirement by responding to line 13k or 13l, a				
No. Your facility is exempt from the efficiency standard. Skip lines 13k and 13l	•			
13k Compliance with efficiency standard (for low operating value): If the operating value shown in line 13g is less than 15%, then indicate below whether the efficiency value shown in line 13h greater than or equal to 45%:				
Yes (complies with efficiency standard) No (does not comply wi	th efficiency standard)			
131 Compliance with efficiency standard (for high operating value): If the operating value shown in line 13g is				

greater than or equal to 15%, then indicate below whether the efficiency value shown in line 13h is greater than or

No (does not comply with efficiency standard)

Information Required for Bottoming-Cycle Cogeneration Facility

If you indicated in line 10a that your facility represents bottoming-cycle cogeneration technology, then you must respond

to the it	ems ·	on pages 16 and 17. Otherwise, s	kip pages 16 and 17.			
	The thermal energy output of a bottoming-cycle cogeneration facility is the energy related to the process(es) from which at least some of the reject heat is then used for power production. Pursuant to sections 292.202(c) and (e) of the Commission's regulations (18 C.F.R. § 292.202(c) and (e)), the thermal energy output of a qualifying bottoming-cycle cogeneration facility must be useful. In connection with this requirement, describe the process(es) from which at least some of the reject heat is used for power production by responding to lines 14a and 14b below.					
Usefulness of Bottoming-Cycle Thermal Output	11) 2) 3) 14b ider facil mus add prev facil to ti chas	Commission's regulations (18 C.F. le cogeneration facility must be useast some of the reject heat is used lidentify and describe each therm host. For hosts with multiple be separate rows. Name of entity (thermal host) performing the process from which at least some of the reject heat is used for power production Check here and continue in the process from which at least some of the reject heat is used for power production Check here and continue in the process is not common, and of the st provide additional details as need it information may be required in the process of the provide additional details as need to be required t	.R. § 292.202(c) and (e)) , the thermal energy output seful. In connection with this requirement, describe	of a qualifying bottoming- the process(es) from which and 14b below. ocess engaged in by each data for each process in Has the energy input to the thermal host been augmented for purposes of increasing power production capacity? (if Yes, describe on p. 19) Yes No Yes No Yes No Yes No Yes No Yes Yes Your asonably clear, then you may be rejected and/or (Exception: If you have cess related to the instant date and docket number be used if any material		

Bottoming-Cycle Operating and Efficiency Value Calculation

than or equal to 45%:

Yes (complies with efficiency standard)

m 556 Page 17 - Bottomin	g-Cycle Cogeneration Facilities
Applicants for facilities representing bottoming-cycle technology and for which instal March 13, 1990 must demonstrate compliance with the bottoming-cycle efficiency state Commission's regulations (18 C.F.R. § 292.205(b)) establishes the efficiency standar cogeneration facilities: the useful power output of the facility must be no less than 45 of natural gas and oil for supplementary firing. To demonstrate compliance with the standard (if applicable), or to demonstrate that your facility is exempt from this standard installation of the facility began, respond to lines 15a through 15h below.	andards. Section 292.205(b) of ard for bottoming-cycle percent of the energy input bottoming-cycle efficiency
If you indicated in line 10a that your facility represents <i>both</i> topping-cycle and botton technology, then respond to lines 15a through 15h below considering only the energ attributable to the bottoming-cycle portion of your facility. Your mass and heat balan which mass and energy flow values and system components are for which portion of (topping or bottoming).	y inputs and outputs . nce diagram must make clear
15a Did installation of the facility in its current form commence on or after March 13, Yes. Your facility is subject to the efficiency requirement of 18 C.F.R. § 292.205 with the efficiency requirement by responding to lines 15b through 15h-below No. Your facility is exempt from the efficiency standard. Skip the rest of page	5(b). Demonstrate compliance w.
15b Indicate the annual average rate of net electrical energy output	kW
15c Multiply line 15b by 3,412 to convert from kW to Btu/h	0 Btu/h
15d Indicate the annual average rate of mechanical energy output taken directly off of the shaft of a prime mover for purposes not directly related to power production (this value is usually zero)	hp
15e Multiply line 15d by 2,544 to convert from hp to Btu/h	0 Btu/h
15f Indicate the annual average rate of supplementary energy input from natural gas or oil	
15g Rottoming-cycle efficiency value = 100 * (15c ± 15e) / 15f	

15h Compliance with efficiency standard: Indicate below whether the efficiency value shown in line 15g is greater

☐ No (does not comply with efficiency standard)

FERC Form 556 Page 18 - All Facilities

Certificate of Completeness, Accuracy and Authority

Applicant must certify compliance with and understanding of filing requirements by checking next to each item below and signing at the bottom of this section. Forms with incomplete Certificates of Completeness, Accuracy and Authority will be rejected by the Secretary of the Commission.

Signer identified below certifies the following: (check a	ll items and	l applicab	le subitems)
---	--------------	------------	--------------

•	g any information contained in any attached docur I any information contained in the Miscellaneous se						
He or she has provided all of the requ to the best of his or her knowledge ar	ired information for certification, and the provided nd belief.	information is true as stated,					
He or she possess full power and auti Practice and Procedure (18 C.F.R. § 38	nority to sign the filing; as required by Rule 2005(a)(85.2005(a)(3)), he or she is one of the following: (che	3) of the Commission's Rules of ck one)					
☐ The person on whose behalf t	the filing is made						
An officer of the corporation,	trust, association, or other organized group on beh	alf of which the filing is made					
An officer, agent, or employe filing is made	An officer, agent, or employe of the governmental authority, agency, or instrumentality on behalf of which the filing is made						
A representative qualified to practice and Procedure (18 C.	A representative qualified to practice before the Commission under Rule 2101 of the Commission's Rules of Practice and Procedure (18 C.F.R. § 385.2101) and who possesses authority to sign						
He or she has reviewed all automatic Miscellaneous section starting on page	calculations and agrees with their results, unless ot ge 19.	herwise noted in the					
He or she has provided a copy of this Form 556 and all attachments to the utilities with which the facility will interconnect and transact (see lines 4a through 4d), as well as to the regulatory authorities of the states in which the facility and those utilities reside. See the Required Notice to Public Utilities and State Regulatory Authorities section on page 3 for more information.							
Procedure (18 C.F.R. § 385.2005(c)) provide	ture date below. Rule 2005(c) of the Commission's es that persons filing their documents electronically iled documents. A person filing this document elec ded below.	y may use typed characters					
Your Signature	Your address	Date					
	16105 West 113th Street, Suite						
Geoff A Coventry	105, Lenexa, KS 66219	3/12/2018					
Audit Notes							
Commission Staff Use Only:							

FERC Form 556 Page 19 - All Facilities

Miscellaneous

Use this space to provide any information for which there was not sufficient space in the previous sections of the form to provide. For each such item of information *clearly identify the line number that the information belongs to*. You may also use this space to provide any additional information you believe is relevant to the certification of your facility.

Your response below is not limited to one page. Additional page(s) will automatically be inserted into this form if the length of your response exceeds the space on this page. Use as many pages as you require.

5b: Enel Kansas' 19.9% ownership is the percentage of ownership of common stock. Enel Kansas also holds non-voting preferred shares in Tradewind Energy Inc., which brings its total interests (voting and non-voting) to 92.8%.